

MOISTURE SEAL PART A Revision Number 1

Revision Date 27-Nov-2018 Supersedes Date: 27-Nov-2018

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name MOISTURE SEAL PART A

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use resin.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412 **Manufacturer**

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 (6.3A)
Serious eye damage/eye irritation	Category 2B (6.4A °)
Skin sensitization	Category 1 (6.5B)
Germ Cell Mutagenicity	Category 2 (6.6B)
Acute aquatic toxicity	Category 3 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)

ERMA Group HSR002670

2.2. Label Elements



Signal word

WARNING

Hazard statements

H402 - Harmful to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

MOISTURE SEAL PART A Revision Number 1

Revision Date 27-Nov-2018

Supersedes Date: 27-Nov-2018

H320 - Causes eye irritation

H341 - Suspected of causing genetic defects

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P273 - Avoid release to the environment

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P362 - Take off contaminated clothing and wash before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

Eyes

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700	25068-38-6	20- <40
MW		
Neodecanoic acid, oxiranylmethyl ester	26761-45-5	1 - <5

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Remove/Take off immediately all contaminated clothing. If medical advice is needed,

have product container or label at hand.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contactWash off immediately with soap and plenty of water. Get medical attention if symptoms

occur.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Hold eyelids apart and consult an

physician.

MOISTURE SEAL PART A
Revision Number 1

Revision Number 1 Supersedes Date: 27-Nov-2018

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Revision Date 27-Nov-2018

Self-protection of the first aider First aider: Pay attention to self-protection!.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization in susceptible persons.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians None.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon

monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from

fire-fighting to enter drains or water courses.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to

enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Methods for containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for cleaning up With clean shovel place material into clean, dry container and cover loosely; move

containers from spill area. Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp

to minimize spreading.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

MOISTURE SEAL PART A
Revision Number 1

Revision Number 1 Supersedes Date: 27-Nov-2018

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required. Special precautions. Please refer also to Safety Data Sheet of Part B. For application method and dose rate, refer to the technical data sheet. Important: Do not leave mixed material in the container - curing in bulk can lead to

Revision Date 27-Nov-2018

excessive heat. No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Storage Conditions Keep away from food, drink and animal feeding stuffs. Keep containers tightly closed in a

dry, cool and well-ventilated place. Keep from freezing.

Incompatible materials Exothermic reaction with Amines Alcohols

7.3. Specific end use(s)

Specific Use(s) Resin.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering controls Provide local exhaust ventilation. in the case of spray application. Please refer also to

Safety Data Sheet of Part B.

PPE - Personal Protection Equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

MOISTURE SEAL PART A Revision Number 1

Revision Number 1 Supersedes Date: 27-Nov-2018

required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.

Revision Date 27-Nov-2018

General hygiene considerationsDo not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Liquid
Color Dark Gray
Odor Low

Odor Threshold No information available

Property Values Remarks • Method

pH No data available

pH (as aqueous solution) 8.5 - 9

Melting point / freezing point
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability (solid, gas)

No information available approx. 100 °C / 212 °F
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor Pressure No information available **Vapor Density** No information available No information available **Relative Density** No information available **Water Solubility** No information available Solubility in Other Solvents **Partition coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available **Kinematic Viscosity** No information available No information available **Dynamic Viscosity Explosive properties** No information available **Oxidizing properties** No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
No information available
No information available
No information available
No information available

Density 1.23 - 1.33 g/cm³

Bulk Density

No information available

VOC (volatile organic compound)

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions

10.3. Possibility of hazardous reactions

MOISTURE SEAL PART ARevision Date27-Nov-2018Revision Number1Supersedes Date:27-Nov-2018

Possibility of hazardous reactions After mixing the two components, the curing reaction starts. In bulk this reaction can be

vigorous.

Hazardous PolymerizationNone under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Exothermic reaction with. Amines. Alcohols.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Numerical measures of toxicity

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol-A-Epichlorhydrin Epoxy	LD50 (rat) > 2000 mg/kg OECD	>2000 mg/Kg (rat)	-
resin <= 700 MW	420		
25068-38-6			
Neodecanoic acid, oxiranylmethyl	LD50 > 2000 mg/kg (Rat) OECD	> 2000 mg/kg (Rat) OECD 402	> 240 mg/m³ (Rat) 4 h
ester	420	,	- , ,
26761-45-5			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritant effect on the skin.
Serious eye damage/eye irritation Irritant effect on the eyes.

Sensitization May cause sensitization by skin contact. People who suffer from skin sensitization

problems, asthma, allergies, chronic or recurring respiratory illnesses should not be

deployed in any process using this preparation.

Germ Cell Mutagenicity
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
Carcinogenicity
No information available.

MOISTURE SEAL PART A Revision Number 1

·

Revision Date 27-Nov-2018

Supersedes Date: 27-Nov-2018

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product information

Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Bisphenol-A-Epichlorhydrin Epoxy	EC50 (72h) = 9.4 mg/L	1.2 mg/l 96Hr (Oncorhynchus	2.7 mg/l 48hr Daphia Magna
resin <= 700 MW	(Scenedesmus capricornutum)	mykiss)	
25068-38-6	EPA-660/3-75-009		
Neodecanoic acid, oxiranylmethyl	EC50: =3.5mg/L (96h,	LC50: =5mg/L (96h, Oncorhynchus	EC50: =4.8mg/L (48h, Daphnia
ester	Pseudokirchneriella subcapitata)	mykiss)	magna)
26761-45-5			

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient	Bioconcentration factor (BCF)
Bisphenol-A-Epichlorhydrin Epoxy resin	3.26	31
<= 700 MW		
25068-38-6		
Neodecanoic acid, oxiranylmethyl ester	4.4	2.57
26761-45-5		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical Name	PBT and vPvB assessment
Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW	The substance is not PBT / vPvB
25068-38-6	
Neodecanoic acid, oxiranylmethyl ester	The substance is not PBT / vPvB
26761-45-5	

12.6. Other adverse effects

No information available.

Endocrine Disruptor Information

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Bisphenol-A-Epichlorhydrin Epoxy	Group III Chemical	-	-

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

MOISTURE SEAL PART A Revision Date 27-Nov-2018 **Revision Number 1** Supersedes Date: 27-Nov-2018

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: TRANSPORT INFORMATION

IMDG

UN3082 **UN Number**

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy

resin <= 700 MW, Neodecanoic acid, oxiranylmethyl ester), Marine Pollutant

Transport hazard class(es) **Packing Group** Ш

Marine Pollutant Ρ EmS-No.

F-A, S-F 274, 335, 969 **Special Provisions**

Limited Quantity (LQ) 5 L

UN3082, Environmentally hazardous substance, liquid, n.o.s. Description

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III, Marine Pollutant

IATA

UN Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy

resin <= 700 MW, Neodecanoic acid, oxiranylmethyl ester)

Transport hazard class(es) **Packing Group** Ш **ERG Code** 9L Limited Quantity (LQ)

30 kg G

Special Provisions A97, A158, A197

UN3082, Environmentally hazardous substance, liquid, n.o.s. Description

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III

ADR

UN Number

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A-Epichlorhydrin Epoxy **Proper Shipping Name**

resin <= 700 MW, Neodecanoic acid, oxiranylmethyl ester)

Transport hazard class(es) Labels 9 **Packing Group** Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s. Description

(Bisphenol-A-Epichlorhydrin Epoxy resin <= 700 MW, Neodecanoic acid, oxiranylmethyl

ester), 9, III

Environmental hazards Yes Limited Quantity (LQ) 5 L

Special Provisions 274, 335, 601, 375

Classification Code

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

MOISTURE SEAL PART ARevision Date27-Nov-2018Revision Number1Supersedes Date:27-Nov-2018

Prepared By Product Safety & Regulatory Affairs

Revision Date 27-Nov-2018

Revision note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet