Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

SECTION1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name fischer B3 Foam (MCCP)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Construction foam for mounting of window frames, and filling and sealing of

gaps and cavities.

Recommended restrictions

None under normal processing. Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer

BLACKS FASTENERS LTD 34 Nga Mahi Road, Sockburn

Christchurch 8042 (postal code) New Zealand

Telephone: 0800 652 463 FAX: 0800 652 464

Email: sockburn@blacksfasteners.co.nz

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

Our 24 hour contact within NZ is 0800 764 766 (0800 POISON)

SECTION2: Hazardsidentification

2.1 Classification of the substance or mixture

GHS Classification Flam. Aerosol 1; H222 H229 Acute Tox. 4; H332 Skin Irrit. 2; H315

Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 Lact.;

H362 STOT SE 3; H335 STOT RE 2; H373 Aquatic Chronic

4; H413

2.2 Label elements

Hazard pictogram



GHS02



GHS07



GHS08

Signal word Danger

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Print date: 15.03.2023 Version: 1.2 /aus

Hazardous component(s) to be

indicated on label

4,4'-methylenediphenyl diisocyanate, isomers and homologues,

alkanes, C14-17, chloro, chlorinated paraffins, C14-17

H-statement(s) H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated. H315:

Causes skin irritation.

H317: May cause an allergic skin reaction. H319:

Causes serious eye irritation. H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation. H351:

Suspected of causing cancer.

H362: May cause harm to breast-fed children.

H373: May cause damage to organs through prolonged or repeated exposure.

H413: May cause long lasting harmful effects to aquatic life.

P-statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P211: Do not spray on an open flame or other ignition source. P251: Pressurized

container: Do not pierce or burn, even after use. P260: Do not breathe

dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P410+P412: Protect from sunlight. Do no expose to temperatures exceeding 50

°C/122 °F.

P501: Dispose of contents/container to special waste treatment

Further information Contains isocyanates. May produce an allergic reaction.

> Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No

smoking. Keep out of the reach

of children. Buildup of explosive mixtures possible without sufficient ventilation.

Persons already sensitised to diisocyanates may develop allergic reactions when

using this product. Persons suffering from asthma,

2 / 14

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

eczema or skin problems should avoid contact, including dermal con- tact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN

14387) is used.

2.3 Other hazards

Health hazard None known.

Particular information pertaining specific risk for human / environment

Contains isocyanates. See information supplied by the manufacturer. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 $^{\circ}$ C.

Also after use, do not open with force or burn.

Do not spray on a naked flame or any other incandescent material. Keep away

from sources of ignition - No smoking.

Keep away from children.

None known.

None known.

Indication of danger None known.

SECTION3: Composition/informationoningredients

Hazardous ingredients

Hazard precautions

Ingredient		Classification (EC) 1272/2008	Concen- tration
4,4'-methylenediphenyl di- isocyanate, isomers and homologues	CAS No. : 9016-87-9	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 STOT RE 2; H373	25.0 – 50.0 %
alkanes, C14-17, chloro, chlorinated paraffins, C14-17	CAS No. : 85535-85-9	Lact.; H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	10.0 – 25.0 %
propane	CAS No. : 74-98-6	Flam. Gas 1; H220 Press. Gas; H280	2.5 – 10.0 %
dimethyl ether	CAS No. : 115-10-6	Flam. Gas 1; H220	2.5 – 10.0 %
isobutane	CAS No. : 75-28-5	Flam. Gas 1; H220 Compr. Gas; H280	2.5 – 10.0 %

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

SECTION4:Firstaidmeasures

4.1 Description of first aid measures

General advice If symptoms persist, call a physician.

Take off all contaminated clothing immediately. Remove/Take off

immediately all contaminated clothing.

If inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

If unconscious place in recovery position and seek medical advice.

In case of skin contact

Use mechanical handling equipment.

IF ON SKIN: Gently wash with plenty of soap and water.

In case of eye contact

Use mechanical handling equipment.

In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

If swallowed, seek medical advice immediately and show this container or label.

Clean mouth with water and drink afterwards plenty of water. Drink 1 or 2 glasses of

water. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No data available

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention No data available
Special medical treatment No data available

SECTION5:Firefightingmeasures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Dry powder Foam

Water spray jet

Extinguishing media which must not be

High volume water jet

used for safety reasons

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from Container may rupture on heating. Heating or

the substance or preparation itself, its fire can release toxic gas. May form

combustion products, or released gases explosive mixtures in air.

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 293.05.2018

Version: 1.2 /aus Print date: 15.03.2023

5.3 Advice for firefighters

Special protective equipment for

firefighting

In the event of fire, wear self-contained breathing apparatus. In the event

of fire and/or explosion do not breathe fumes.

Additional information on fire-

fighting

Fire residues and contaminated fire extinguishing water must be dis-posed of in

accordance with local regulations.

Keep containers and surroundings cool with water spray. Container

may rupture on heating.

SECTION6: Accidental releasemeasures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Keep away from sources of ignition - No smoking. Keep

people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or the soil.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust).

Allow to solidify, use mechanical handling equipment. Ensure

adequate ventilation.

Do not flush with water.

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Treat recovered material as described in the section "Disposal consid- erations".

Dispose of in accordance with local regulations.

SECTION7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle and open container with care.

Provide sufficient air exchange and/or exhaust in work rooms. Vapours are

heavier than air and may spread along floors.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use. Do

not spray on flames or red-hot objects.

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 293.05.2018

Version: 1.2 /aus Print date: 15.03.2023

Advice on protection against fire and

explosion

Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any other incordescent meterial. Keep away from sources of ignition. No

flame or any other incandescent material. Keep away from sources of ignition - No

smoking.

In use, may form flammable/explosive vapour-air mixture. Take measures to prevent the buildup of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container

Keep containers tightly closed in a cool, well-ventilated place. Container

requirements

may rupture on heating.

Store in accordance with local regulations.

German storage class

LGK 2B (TRGS 510)

7.3 Specific end use(s)

Specific use(s)

installation foam . Further information: see technical data sheet. \\

SECTION8: Exposure controls/personal protection

8.1 Control parameters

dimethyl ether

Australia

Long-term exposure	Long-term exposure	Short-term exposure	Short-term exposure	Source
value/ ppm	value/ mg/m3	value / ppm	value / mg/m3	
400	760	500	950	39

Source: 39 - WORKPLACE EXPOSURE STANDARDS FOR AIRBORNE CONTAMINANTS 18.April 2013

Europe

Long-term exposure value/	Long-term exposure value/	Issuing date	Source
mg/m3	ppm		
1 920	1 000	2000/39	24

Source: 24 - DIRECTIVE 2009/161/EU

8.2 Exposure controls

protection professional users (long contact): Wear protective gloves.

Suitable material: butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material: PVC disposable gloves

Material thickness: $\leq 0.5 \text{ mm}$ Break through time: > 120 min

Remarks: Replace when worn.

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 293.05.2018

Version: 1.2 /aus Print date: 15.03.2023

Reference substance: Request information on glove permeation properties from the glove supplier.. Be

aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the

numerous outside influences (e.g. temperature).

private users (short contact):

Suitable material: attached disposable gloves Remarks

: Use gloves once only.

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note: Choose body protection according to the amount and concentration of the

dangerous substance at the work place.

General protective and hygiene

measures

Smoking, eating and drinking should be prohibited in the application area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately. Do not

breathe vapors, mist or gas.

Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs. Use protective skin

cream before handling the product.

No special environmental precautions required.

Information on environmental protection regulations

SECTION9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Aerosol
Form aerosol
Colour beige

Odour characteristic

Odour threshold not determined pH not applicable

Melting point [°C] / Freezing not applicable (aerosol)

point [°C]

Boiling point [°C] not applicable (aerosol)

Evaporation rate [kg/(s*m²)] No data available Explosion

limits [Vol-%]

Lower limit: 1,5 Vol.%

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

Upper limit: 18,6 Vol.%

Remarks: Propellant Vapour

pressure [kPa] 550 – 600

Temperature: 20 °C

Density [g/cm³] ≈ 1

Temperature: 20 °C Water

solubility [g/l] immiscible

Solubility [g/l] No data available

Partition coefficient n-octanol / not determined not

water (log P O/W) determined

Autoinflammability not auto-flammable

Decomposition temperature [°C] not determined

Viscosity, dynamic [kg/(m*s)] not applicable Viscosity,

kinematic [mm²/s] not applicable
Risk of explosion. Not explosive

In use, may form flammable/explosive vapour-air mixture. Oxidizing

properties No data available

9.2 Other information

Ignition temperature [$^{\circ}$ C] > 200 $^{\circ}$ C Relative

vapour density (air=1) not determined

Miscibility with water immiscible

SECTION10:Stabilityandreactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid Container may rupture on heating.

No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid No dangerous reaction known under conditions of normal use.

GHS Safety Data Sheet Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Print date: 15.03.2023 Version: 1.2 /aus

10.6 Hazardous decomposition products

Hazardous decomposition products Carbon oxides nitrogen

oxides (NOx)

SECTION11:Toxicologicalinformation

11.1 Information on toxicological effects

Hazardous ingredients

4,4'-methylenediphenyl diisocyanate, isomers and homologues

Oral toxicity [mg/kg]	Test criterion	Test species	Remarks
> 5000	LD50	rat	OECD 423

Source: 100 - 100

Dermal toxicity [mg/kg]	Test criterion	Test species
> 5000	LD50	rabbit

Source: 100 - 100

Irritant effect on the respi-

Irritant

ratory tract

chlorinated paraffins, C14-17

Oral toxicity [mg/kg]	Test criterion	Test species
> 4000	LD50	rat

Source: 100 - 100

Dermal toxicity [mg/	Test criterion	Test species	Duration
kg]			
> 13500	LD50	rabbit	24 h
> 2800	LD50	rat	24 h

Source: 100 - 100

GHS Safety Data Sheet Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Print date: 15.03.2023 Version: 1.2 /aus

Inhalative toxicity [mg/l] Irritating to respiratory system. Irritant

effect on skin Irritating to skin.

Irritating to skin and mucous membranes

Irritant effect on eyes Irritating to eyes.

Sensitization May cause sensitization by inhalation and skin contact.

11.2 Additional information

Other information (chapter 11.) The product itself has not been tested.

SECTION12: Ecological information

12.1 Toxicity

Hazardous ingredients

4,4'-methylenediphenyl diisocyanate, isomers and homologues

Toxicity to fish	Test criterion	Test species	Measuring	Exposure dura-
[mg/l]			method	tion
> 100	LC50	Brachydanio rerio	OECD Test Guide-	96 h
		(zebra fish)	line 203	

Toxicity to daph-	Test criterion	Test species	Exposure dura-	Measuring
nia [mg/l]			tion	method
> 1000	EC50	Daphnia magna	24 h	OECD Test Guide-
		(Water flea)		line 202

Toxicity to algae [mg/l]	Test criterion	Test species	Exposure duration
> 1640	ErC50:	Scenedesmus subspica- tus	72 h

NOEC (daphnia) [mg/l]	Test species	Measuring method	Exposure duration
> 10	Daphnia magna (Big	OECD 202	21 d
	water flea).		

propane

Toxicity to fish [mg/l]	Test criterion	Exposure duration	Source
> 1000	LC50	96 h	100

Toxicity to daphnia	Test criterion	Test species	Exposure duration	Source
[mg/l]				
14,22	LC50	Daphnia magna (Big	48 h	100
		water flea).		

Toxicity to algae [mg/	Test criterion	Test species	Exposure duration	Source
1]				
7,71	EC50	Scenedesmus quadri-	96 h	100
		cauda (Green algae)		

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

dimethyl ether

Toxicity to fish [mg/l] > 1000

Toxicity to daphnia [mg/l]

> 4400

Toxicity to algae [mg/l]

154,917

ISOBUTANE

Toxicity to fish [mg/l]

27,98

Toxicity to daphnia [mg/l]

14,22

Toxicity to algae [mg/l]

7,71

12.2 Persistence and degradability

Elimination and distribution mechanisms

No information available.

Elimination in purification plant No data available

Biodegradability No data available

12.3 Bioaccumulative potential

Bioaccumulation There is no data available for this product. no data

available

Bioconcentration factor (BCF)

No data available

12.4 Mobility in soil

Distribution in the environment No data available

Mobility

Mobility: insoluble

Mobility: No data available

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Further information on ecology No information on ecology is available.

Handle in accordance with good industrial hygiene and safety practice.

The product itself has not been tested.

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

SECTION13:Disposalconsiderations

13.1 Waste treatment methods

Disposal considerations Do not let product enter drains.

Disposal together with normal waste is not allowed. Special disposal required

according to local regulations.

The product should not be allowed to enter drains, water courses or the soil.

Empty remaining contents.

Uncleaned empty packaging Dispose of as unused product.

SECTION14: Transportinformation

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	1950	1950	1950
14.2 Description of the	AEROSOLS	AEROSOLS	
goods			
14.2 UN proper shipping		AEROSOLS	Aerosols, flammable
name			
14.3 Transport hazard	2	2.1	2.1
class(es)			
Remarks	inflammable	(maximum 1 L) flammable	
Labels	2.1	2.1	2.1
		•	•
Category	2		
Classification Code	5F		
Tunnel restriction code	D		
14.5 Environmental haz-		0: Non-marine pollutant	
ards			
EmS		F-D;S-U	
Stowage category		A	

14.6 Special precautions for user

Precautions not required under normal use

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex not applicable

II of MARPOL73/78 and the IBC

Code

SECTION15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations Persons already sensitised to diisocyanates may develop allergic re- actions when

using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal con- tact, with this product. This product should not be used under condi- tions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Commercial Product Name: fischer B3 Foam (MCCP)

Revision Date: 15.03.2023 Replaces version from: 29.05.2018

Version: 1.2 /aus Print date: 15.03.2023

Water hazard class (self-classifi-

cation)

1

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mix- ture were not

carried out.

SECTION16:Otherinformation

Relevant H-phrases H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H280: Contains gas under pressure; may explode if heated. H315: Causes

skin irritation.

H317: May cause an allergic skin reaction. H319:

Causes serious eye irritation. H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation. H351:

Suspected of causing cancer.

H362: May cause harm to breast-fed children.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects. H413: May cause long lasting harmful effects to aquatic life. EUH204: Contains isocyanates.

May produce an allergic reaction.

Wording of the hazard classes Flam. Aerosol: Flammable aerosol

Acute Tox.: Acute toxicity
Skin Irrit.: Skin irritation
Eye Irrit.: Serious eye irritation
Resp. Sens.: Respiratory sensitization

Skin Sens.: Skin sensitization Carc.: Carcinogenicity

Lact.: Reproductive toxicity (effects on or via lactation) STOT SE: Specific target organ toxicity – single exposure STOT RE: Specific target organ toxicity – repeated exposure Aquatic Chronic: Hazardous to the aquatic environment Aquatic Acute: Hazardous to the aquatic

environment

Flam. Gas: Flammable gas Press. Gas: Gases under pressure

Classification for mixtures and used evaluation method

Classification	Evaluation
Flam. Aerosol 1; H222 H229	Experimental data
Acute Tox. 4; H332	Calculated
Skin Irrit. 2; H315	Calculated

13 / 14

GHS Safety Data Sheet Commercial Product Name: fischer B3 Foam (MCCP)

Replaces version from: 29.05.2018

Print date: 15.03.2023

according to regulation (EC)

Revision Date: 15.03.2023

Version: 1.2 /aus

1272/2008 [CLP]

Classification	Evaluation
Eye Irrit. 2; H319	Calculated
Resp. Sens. 1; H334	Calculated
Skin Sens. 1; H317	Calculated
Carc. 2; H351	Calculated
Lact.; H362	Calculated
STOT SE 3; H335	Calculated
STOT RE 2; H373	Calculated
Aquatic Chronic 4; H413	Calculated
Flam. Aerosol 1; H229	Calculated

Recommended restrictions

None under normal processing. Observe technical data sheet. Modifications

of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.