



Safety Data Sheet

in accordance with HSNO

Printing date 13.09.2023

Version number 31

Revision: 13.09.2023

Page 1/6

SECTION 1: Identification of the substance or mixture and of the supplier

- 1.1 Product identifier

- Trade name: Vibra-TITE® Specialty Products

- Article number: VT2024

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
 - Article category AC0 Other
 - Application of the substance / the mixture Assembly adhesive

- 1.3 Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Further information obtainable from: Product Safety Department

- **1.4 Emergency telephone number:** United States: 1-800-424-9300 International: +1-703-527-3887

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture - Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.




Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC



R36: Irritating to eyes.



R11: Highly flammable.

R67: Vapours may cause drowsiness and dizziness.

- Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- 2.2 Label elements

- Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- Code letter and hazard designation of product:



Xi Irritant F Highly flammable

- Risk phrases:

11 Highly flammable.

Version number 31

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 1)

Revision: 13.09.2023

36 Irritating to eyes.

67 Vapours may cause drowsiness and dizziness.

- Safety phrases:

- Keep container in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 24/25 Avoid contact with skin and eyes.

- 2.3 Other hazards

Printing date 13.09.2023

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

Dangereae com	i due compensation		
CAS: 1332-58-7 EC number: 310-194-1	Kaolin	substance with a Community workplace exposure limit	20 – 29%
CAS: 616-38-6	dimethyl carbonate	F R11	20 – 29%
EINECS: 210-478-4		Flam. Liq. 2, H225	
CAS: 67-63-0	isopropanol	Xi R36; F R11	20 – 29%
EINECS: 200-661-7		R67	
		Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
- Additional inform	nation: For the wording of the listed haza	ird phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Fire fighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Version number 31

Printing date 13.09.2023

Trade name: Vibra-TITE® Specialty Products

(Contd. of page 2)

Revision: 13.09.2023

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

CAS: 1332-58-7 Kaolin

WES (New Zealand) Long-term value: 10 2* mg/m³ *respirable dust

CAS: 67-63-0 isopropanol

WES (New Zealand) Short-term value: 1230 mg/m³, 500 ppm

Long-term value: 983 mg/m³, 400 ppm

- Additional information: The lists that were valid during the creation were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves. Avoid contact with the eyes and skin.

- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical a - General Information	nd chemical properties	
- Appearance:		
- Form:	Liquid	
- Colour:	Red	
- Odour:	Alcohol-like	
- Odour threshold:	Not determined.	
- pH-value:	Not determined.	
- Change in condition		
- Melting point/freezing point:	Undetermined.	
- Initial boiling point and boili	ng range: ≥ 82 °C	
- Flash point:	13 °C	
- Flammability (solid, gas):	Highly flammable.	

Version number 31

Printing date 13.09.2023

Trade name: Vibra-TITE® Specialty Products

Revision: 13.09.2023

	(Contd. of page
- Ignition temperature:	425 °C
 Decomposition temperature: 	Not determined.
- Auto-ignition temperature:	Product is not selfigniting.
- Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- Explosion limits:	
- Lower:	2 Vol %
- Upper:	12 Vol %
- Vapour pressure at 20 °C:	≤ 56 hPa
- Density at 20 °C:	~ 1.32106 g/cm³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
- water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/wat	er: Not determined.
- Viscosity:	
- Dynamic:	Not determined.
- Kinematic:	Not determined.
- Solvent content:	
- Organic solvents:	21.5 %
- VÕC (EC)	43.45 %
- Solids content:	26.3 %
.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.

- 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

CAS: 616	-38-6 dime	ethyl carbonate	
Oral	LD50	13,000 mg/kg (rat)	
Dermal	LD50	> 5,000 mg/kg (rabbit)	
CAS: 67-6	3-0 isopro	opanol	
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.

- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.

Version number 31

Revision: 13.09.2023

Trade name: Vibra-TITE® Specialty Products

Printing date 13.09.2023

Trade name: Vibra-TITE® Specialty Products	
	(Contd. of page 4)
- 12.4 Mobility in soil No further relevant information available	
- Additional ecological information:	
 General notes: Water hazard class 1 (German Regulation) (Self-assess 	sment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to	p reach ground water, water course or sewage system.
 12.5 Results of PBT and vPvB assessment 	
- PBT: Not applicable.	
 - vPvB: Not applicable. - 12.6 Other adverse effects No further relevant information 	availabla
SECTION 13: Disposal considerations	
- 13.1 Waste treatment methods - Recommendation Must not be disposed together with he	pusehold garbage. Do not allow product to reach sewage system.
 Uncleaned packaging: Recommendation: Disposal must be made accordin 	ig to official regulations.
SECTION 14: Transport information	
•	
- 14.1 UN-Number - NZS, IMDG, IATA	UN1139
	001139
 - 14.2 UN proper shipping name - NZS 	
- NZS - IMDG, IATA	UN1139 COATING SOLUTION COATING SOLUTION
- 14.3 Transport hazard class(es)	
- NZS, IMDG, IATA	
- Class	3 Flammable liquids.
- Label	3
- 14.4 Packing group	
- NZS, IMĎĞ, IATA	II
- 14.5 Environmental hazards:	Not applicable.
- 14.6 Special precautions for user	Warning: Flammable liquids.
- Hazard identification number (Kemler code):	33
- EMS Number:	F-E, <u>S-E</u>
- Stowage Category	В
 14.7 Transport in bulk according to Annex II of Marpo and the IBC Code 	ol Not applicable.
- Transport/Additional information:	
- NZS	
- Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- Transport category	2
- Tunnel restriction code	_ D/E
- IMDG	
- Limited quantities (LQ)	1L
- Excepted quantities (ÉQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Desulction":	
- UN "Model Regulation":	UN 1139 COATING SOLUTION, 3, II

(Contd. on page 6)

Version number 31

Trade name: Vibra-TITE® Specialty Products

Revision: 13.09.2023

(Contd. of page 5)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Now Zoolond Inventory of Chamical

- New Zealand Inventory of Chemicals		
CAS: 1332-58-7	Kaolin	
CAS: 616-38-6	dimethyl carbonate	
CAS: 67-63-0	isopropanol	
CAS: 67762-90-	7 Amorphous Silica	
CAS: 7128-64-5	2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)	
- HSNO	Approval numbers	
CAS: 616-38-6	dimethyl carbonate	HSR001252
CAS: 67-63-0	isopropanol	HSR001180

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

R11 Highly flammable.

- R36 Irritating to eyes.
- R67 Vapours may cause drowsiness and dizziness.

- Department issuing SDS: ND Industries, Inc. - Safety, Health and Environmental Affaires

- Contact: Safety, Health and Environmental Affaires

- Classification System:

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.